

UPLIFTING COMPANY

**AUTOP STENHOJ**

UPLIFTING COMPANY

**AUTOP STENHOJ**



## Maestro 2.65

Electro-mechanical 2-post lift  
with 6.5 t capacity

**VERTICAL  
POWER**

**NxT Generation - Surface-mounted lifts**



## When it comes to a high level, you should be sure to pay attention to the details.

### Maestro 2.65:

The 2-post lifts of the Maestro 2.xx series impress with their premium construction.

They come with **extremely stable and welded columns**.

Smooth running behaviour is ensured by the **roller-bearing carriage**. The **cold-rolled spindle** guarantees a **particularly long service life**.

The welded and symmetrically positioned columns are ideal for the safe lifting of large and heavy vehicles up to a maximum of 6.5 tonnes.

Due to its **unique column design**, the Maestro 2.65 not only has the **strongest, but also the slimmest column available on the market**.

Thanks to the special swivel arm design with crossbeam, the Maestro 2.65 is perfectly suited to a wide range of vehicle types.

**Maximum safety with optimum access to the vehicle!**

### Recommendations / Approvals Maestro 2.65:

- Mercedes Benz

**The highlights of the Maestro 2.65:**

- Slimmest and strongest column on the market
- Low space requirement and optimum access to the vehicle
- Special swivel arm design with crossbeam
- Universal lifting range




**Perfectly lifted, even when the going gets tough!**



# Maestro 2.65

**AUTOP** UPLIFTING COMPANY **STENHOJ**

Electro-mechanical 2-post lift  
with 6.5 t capacity



Illustrations are not binding and optional. Under reserve of dimensional, constructional and technical modifications! Validity 04/2024

# Maestro 2.65

## Technical data

|                              |                        |
|------------------------------|------------------------|
| <b>Lifting capacity</b>      | 6500 kg                |
| <b>Stroke length</b>         | 1900 mm                |
| <b>Working height</b>        | 1998 - 2045 mm         |
| <b>Lifting/lowering time</b> | ~ 35 sec.              |
| <b>Voltage</b>               | 230/400 V/ 50 Hz /25 A |
| <b>Motor</b>                 | 2 x 4 kW               |

### Standard colour:

- Posts: RAL 7016
- Arms: RAL 3020

### Optional extras:

- Portal set, alternatively inground kit
- LED-lighting set
- Energy set with compressed air and socket-outlet
- Set of expansion bolts
- Extra control unit for second column
- Large program of extra pads, depending on type of vehicle

## Arm superstructure

|   |                        |
|---|------------------------|
| <b>Lifting pad included in the delivery</b> | F: 16008 ( 98 -145 mm) |
| <b>Min. height</b>                          | 98 mm                  |
| <b>Drive-through width</b>                  | 2728 mm                |
| <b>Width between posts</b>                  | 3170 mm                |
| <b>Total width - outer edge posts</b>       | 3560 mm                |
| <b>Total width - outer edge base plates</b> | 4000 mm                |
| <b>Total height post</b>                    | 2908 mm                |
| <b>Total height incl. portal</b>            | 4910 - 5270 mm         |
| <b>Arm length front, min-max.</b>           | 790 - 1643 mm          |
| <b>Arm length rear, min-max.</b>            | 790 - 1643 mm          |




### Versions:

- Available for different voltages
- F = flex pad



# Maestro 2.65

**AUTOP** UPLIFTING COMPANY  
**STENHOJ**



[www.autopstenhoj.com](http://www.autopstenhoj.com)

**AUTOPSTENHOJ GmbH**  
Sandkampstr. 90 | 48432 Rheine  
☎ +49 5971 8602-02  
✉ [info@autopstenhoj.com](mailto:info@autopstenhoj.com)

**AUTOPSTENHOJ GmbH**  
Barrit Langgade 188-190 | DK-7150 Barrit  
☎ +45 76 82 13 30  
✉ [info@autopstenhoj.com](mailto:info@autopstenhoj.com)